

MATERIAL SAFETY DATA SHEET

According to 29 CFR 1910.1200(g)



Date Issued: 12/03/2004
 MSDS No: 10050V
 Date-Revised: 01/29/2010
 Revision No: 2

New Car Glaze™**1. PRODUCT AND COMPANY IDENTIFICATION**

PRODUCT NAME: New Car Glaze™
PRODUCT DESCRIPTION: Auto Polish
PRODUCT CODE: 50
PRODUCT FORMULATION NAME: New Car Glaze™
GENERIC NAME: Car Polish

MANUFACTURER

Auto Wax - An ITW Company
 Auto Magic®
 1275 Round Table Drive
 Dallas, TX 75247

Product Stewardship: 1-800-826-0828**Transportation:** 1-800-826-0828**Service Number:** 1-214-631-4000

Auto Wax - An ITW Company
 Auto Magic®

24 HR. EMERGENCY TELEPHONE NUMBERS

1-800-826-0828

2. HAZARDS IDENTIFICATION**EMERGENCY OVERVIEW****IMMEDIATE CONCERNS:** Harmful if swallowed.**POTENTIAL HEALTH EFFECTS****EYES:** May be irritating to the eyes.**SKIN:** May cause slight irritation.**INGESTION:** Harmful if swallowed.**INHALATION:** No hazard in normal industrial use.**SIGNS AND SYMPTOMS OF OVEREXPOSURE****EYES:** Eye contact may cause redness, tearing and a burning sensation.**INGESTION:** Ingestion may cause nausea and irritation.**CHRONIC EFFECTS:** not available**MEDICAL CONDITIONS AGGRAVATED:** dermatitis may be aggravated by excessive exposure to skin.**ROUTES OF ENTRY:** include skin contact, eye contact and ingestion**TARGET ORGAN STATEMENT:** not available**CANCER STATEMENT:** not available**IRRITANCY:** not available**3. COMPOSITION / INFORMATION ON INGREDIENTS**

Chemical Name	Wt.%	CAS
Mineral Spirits	12 - 15	64475-85-0
Distillates (petroleum) hydrotreated light	9 - 14	64742-47-8

4. FIRST AID MEASURES**EYES:** Flush eye with water for 15 minutes. Seek medical attention if irritation persists.**SKIN:** Wash with soap and water.**INGESTION:** Do not induce vomiting. Seek medical attention immediately.**INHALATION:** Move to fresh air

5. FIRE FIGHTING MEASURES**FLASHPOINT AND METHOD:** ~ 38°C TCC**FLAMMABLE LIMITS:** Not Available**AUTOIGNITION TEMPERATURE:** Not Available**FLAMMABLE CLASS:** Material will not support combustion.**EXTINGUISHING MEDIA:** use water, foam, dry chemical or carbon dioxide extinguisher**HAZARDOUS COMBUSTION PRODUCTS:** Carbon Monoxide and Carbon Dioxide**EXPLOSION HAZARDS:** not available**SENSITIVE TO STATIC DISCHARGE:** none**SENSITIVITY TO IMPACT:** none**6. ACCIDENTAL RELEASE MEASURES****SMALL SPILL:** Contain and collect with absorbent**LARGE SPILL:** LARGE SPILLS: Shut off leak if safe to do so. Contain material to avoid run off and collect spill with absorbent. Proper disposal of absorbent is required after use.**ENVIRONMENTAL PRECAUTIONS****WATER SPILL:** Avoid runoff into storm sewers and ditches which lead to waterways.**7. HANDLING AND STORAGE****GENERAL PROCEDURES:** Keep out of reach of Children.**STORAGE:** Do not allow to freeze**STORAGE TEMPERATURE:** (35°F) Minimum to (95°F) Maximum**SHELF LIFE:** one year**8. EXPOSURE CONTROLS / PERSONAL PROTECTION****EXPOSURE GUIDELINES**

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)							
		EXPOSURE LIMITS					
		OSHA PEL		ACGIH TLV		SupplierOEL	
Chemical Name		ppm	mg/m ³	ppm	mg/m ³	ppm	mg/m ³
Mineral Spirits	TWA	100 ppm		100 ppm		200 ppm	
Distillates (petroleum) hydrotreated light	TWA					300 ppm	2300 mg/m ³

ENGINEERING CONTROLS: Good general ventilation should be sufficient to control airborne levels.**PERSONAL PROTECTIVE EQUIPMENT****EYES AND FACE:** Wear safety glasses with side shields or goggles.**SKIN:** Use Nitrile/ Vinyl gloves**RESPIRATORY:** NIOSH respirator - in absence of proper environmental controls.**PROTECTIVE CLOTHING:** Clean, body-covering clothing**9. PHYSICAL AND CHEMICAL PROPERTIES**

Chemical Name	Flash Point (°C)	Boiling Point (°C)	Specific Gravity
Distillates (petroleum) hydrotreated light	81	218	0.79

PHYSICAL STATE: Liquid**ODOR:** hydrocarbon odor**APPEARANCE:** Green Liquid**pH:** ~ 8 to 10**PERCENT VOLATILE:** Not Available

VAPOR PRESSURE: Not Available
VAPOR DENSITY: Not Available
FREEZING POINT: ~ 0°C (32°F)
FLASHPOINT AND METHOD: ~ 38°C TCC
SOLUBILITY IN WATER: Will mix with water
VISCOSITY: Not Available
(VOC): < 15.000 % by weight

10. STABILITY AND REACTIVITY

STABLE: Yes
HAZARDOUS POLYMERIZATION: No
CONDITIONS TO AVOID: Avoid high temperatures.

11. TOXICOLOGICAL INFORMATION

ACUTE

Chemical Name	ORAL LD ₅₀ (rat)	DERMAL LD ₅₀ (rabbit)
Distillates (petroleum) hydrotreated light	> 5 g/Kg-rat	> 3.16 g/kg - rabbit

NOTES: not available

CHRONIC: not available

CARCINOGENICITY

IARC: Listed by IARC- NO

NTP: Listed by NTP- NO

OSHA: Listed by OSHA- NO

SENSITIZATION: not available

NEUROTOXICITY: not available

REPRODUCTIVE EFFECTS: not available

TARGET ORGANS: not available

MUTAGENICITY: not available

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: not available

ECOTOXICOLOGICAL INFORMATION: not available

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose in accordance with local, state, and federal laws.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: NOT REGULATED

OTHER SHIPPING INFORMATION: Not dangerous material according to CFR49 regulations

15. REGULATORY INFORMATION

CANADA

WHMIS HAZARD SYMBOL AND CLASSIFICATION


Combustible Liquid



Toxic

16. OTHER INFORMATION**PREPARED BY:** Mark Dean**REVISION SUMMARY:** Revision #: 2. This MSDS replaces the March 05, 2007 MSDS. Any changes in information are as follows: In Section 1: MSDS Classification**HMIS RATING**

HEALTH:	1
FLAMMABILITY:	2
PHYSICAL HAZARD:	0
PERSONAL PROTECTION:	

NFPA CODES

MANUFACTURER DISCLAIMER: The information in this MSDS was obtained from current and reputable sources. However, the data is provided without any warranty, express or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense resulting from improper use of this product.