

MATERIAL SAFETY DATA SHEET

Safety Data Sheet



Date Issued: 04/08/2009
 MSDS No: 61-New
 Date-Revised: 04/08/2009
 Revision No: 1

XTREME DRESS-IT**1. PRODUCT AND COMPANY IDENTIFICATION**

PRODUCT NAME: XTREME DRESS-IT
GENERAL USE: Automotive reconditioning product
PRODUCT DESCRIPTION: Water Based Tire Dressing
PRODUCT CODE: 10061
PRODUCT FORMULATION NAME: XTREME DRESS-IT
GENERIC NAME: Tire Dressing

MANUFACTURER

Auto Wax - An ITW Company
 Auto Magic®
 1275 Round Table Drive
 Dallas TX 75247
Product Stewardship: 1-800-826-0828
Transportation: 1-800-826-0828
Service Number: 1-214-631-4000
 Auto Wax - An ITW Company
 Auto Magic®

24 HR. EMERGENCY TELEPHONE NUMBERS

1-800-826-0828

2. HAZARDS IDENTIFICATION**EMERGENCY OVERVIEW**

IMMEDIATE CONCERNS: May cause a slip hazard if material gets on floor.

POTENTIAL HEALTH EFFECTS

EYES: May be irritating to the eyes.

SKIN: May cause slight irritation.

INGESTION: May be irritating to mouth, throat and stomach.

INHALATION: Prolonged inhalation may be harmful.

MEDICAL CONDITIONS AGGRAVATED: not established

ROUTES OF ENTRY: include skin contact, eye contact and ingestion

TARGET ORGAN STATEMENT: not established

CANCER STATEMENT: not established

3. COMPOSITION / INFORMATION ON INGREDIENTS

COMMENTS: This product contains no Hazardous Ingredients as defined by 29 CFR 1910.1200

4. FIRST AID MEASURES

EYES: Flush eye with water for 15 minutes. Seek medical attention if irritation persists.

SKIN: Wash with soap and water.

INGESTION: If swallowed, induce vomiting . Get medical attention immediately.

INHALATION: Move to fresh air

5. FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD: none

AUTOIGNITION TEMPERATURE: none

EXTINGUISHING MEDIA: use water, foam, dry chemical or carbon dioxide extinguisher

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Contain and collect with absorbent

LARGE SPILL: LARGE SPILLS: Shut off leak if safe to do so. Contain material to avoid run off and collect spill with absorbent. Proper disposal of absorbent is required after use.

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: Avoid runoff into storm sewers and ditches which lead to waterways.

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Keep out of reach of Children.

STORAGE TEMPERATURE: 0°C (32°F) Minimum to 50°C (122°F) Maximum

SHELF LIFE: one year

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: Good general ventilation should be sufficient to control airborne levels.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Wear safety glasses with side shields or goggles.

SKIN: Use Nitrile/ Vinyl gloves

PROTECTIVE CLOTHING: Clean, body-covering clothing

9. PHYSICAL AND CHEMICAL PROPERTIES

ODOR: Banana odor

APPEARANCE: White Liquid

pH: ~ 8.0 to 10

FREEZING POINT: ~ 0°C (32°F)

FLASHPOINT AND METHOD: none

SPECIFIC GRAVITY: ~ 1.000 gm/ml

(VOC): < 3.000 % by weight

10. STABILITY AND REACTIVITY

STABLE: Yes

HAZARDOUS POLYMERIZATION: No

11. TOXICOLOGICAL INFORMATION

CARCINOGENICITY

IARC: Listed by IARC- NO

NTP: Listed by NTP- NO

OSHA: Listed by OSHA- NO

SENSITIZATION: not established

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: not available

ECOTOXICOLOGICAL INFORMATION: not available

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose in accordance with local, state, and federal laws.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: NOT REGULATED

OTHER SHIPPING INFORMATION: Refer to bill of lading or container label for DOT or other transportation hazard classification, if any.

15. REGULATORY INFORMATION

UNITED STATES

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA REGULATORY: All Ingredients are on the TSCA Inventory or are not required to be listed on the TSCA Inventory

16. OTHER INFORMATION


PREPARED BY: Tony Casmus

REVISION SUMMARY: Revision #: 1. This MSDS replaces the April 08, 2009 MSDS.

HMIS RATING

HEALTH:	-	0
FLAMMABILITY:		0
PHYSICAL HAZARD:		0
PERSONAL PROTECTION:		

NFPA CODES



MANUFACTURER DISCLAIMER: The information in this MSDS was obtained from current and reputable sources. However, the data is provided without any warranty, express or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense resulting from improper use of this product.