

MATERIAL SAFETY DATA SHEET



Date Issued: 03/02/2000
MSDS No: 10088
Date-Revised: 02/26/2010
Revision No: 4

XP Polish™

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: XP Polish™
PRODUCT DESCRIPTION: Moderately aggressive leveling polish
PRODUCT CODE: 88
PRODUCT FORMULATION NAME: XP Polish™
CHEMICAL FAMILY: N/A
MOLECULAR FORMULA: N/A
GENERIC NAME: Automotive Polish

MANUFACTURER

Auto Wax - An ITW Company
Auto Magic®
1275 Round Table Drive
Dallas, TX 75247

Product Stewardship: 1-800-826-0828
Transportation: 1-800-826-0828
Service Number: 1-214-631-4000
Auto Wax - An ITW Company
Auto Magic®

24 HR. EMERGENCY TELEPHONE NUMBERS

1-800-826-0828

COMMENTS: To the best of our knowledge, this Material Safety Data Sheet conforms to the requirements of US OSHA 29 CFR 1910.1200.

2. HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYES: May be irritating to the eyes.
SKIN: May cause slight irritation.
INGESTION: Harmful if swallowed.
INHALATION: No hazard in normal industrial use.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Eye contact may cause redness, tearing and a burning sensation.
SKIN: Repeated or prolonged skin contact may cause redness and irritation.
INGESTION: Ingestion may cause nausea and irritation.

CHRONIC EFFECTS: not available

CARCINOGENICITY: not available

MEDICAL CONDITIONS AGGRAVATED: dermatitis may be aggravated by excessive exposure to skin.

ROUTES OF ENTRY: include skin contact, skin absorption, eye contact, inhalation and ingestion

TARGET ORGAN STATEMENT: not available

SENSITIZATION: not available

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Name | Wt.% | CAS |
|--|---------|------------|
| Distillates (petroleum) hydrotreated light | 15 - 20 | 64742-47-8 |
| Odorless Mineral Spirits | 5 - 15 | 64742-48-9 |

4. FIRST AID MEASURES

EYES: Flush eye with water for 15 minutes. Seek medical attention if irritation persists.

SKIN: Wash with soap and water.

INGESTION: Do not induce vomiting. Seek medical attention immediately.

INHALATION: Move to fresh air

5. FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD: ~ 49°C TCC

FLAMMABLE LIMITS: Not Available

AUTOIGNITION TEMPERATURE: Not Available

FLAMMABLE CLASS: Material will not support combustion.

EXTINGUISHING MEDIA: use water, foam, dry chemical or carbon dioxide extinguisher

HAZARDOUS COMBUSTION PRODUCTS: Carbon Monoxide and Carbon Dioxide

EXPLOSION HAZARDS: not available

SENSITIVE TO STATIC DISCHARGE: none

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Contain and collect with absorbent

LARGE SPILL: LARGE SPILLS: Shut off leak if safe to do so. Contain material to avoid run off and collect spill with absorbent. Proper disposal of absorbent is required after use.

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: Avoid runoff into storm sewers and ditches which lead to waterways.

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Keep out of reach of Children.

STORAGE: Do not allow to freeze

STORAGE TEMPERATURE: (35°F) Minimum to (95°F) Maximum

SHELF LIFE: one year

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES

| OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200) | | | |
|---|-----|-----------------|------------------------|
| | | EXPOSURE LIMITS | |
| | | SupplierOEL | |
| Chemical Name | | ppm | mg/m ³ |
| Distillates (petroleum) hydrotreated light | TWA | 300 ppm | 2300 mg/m ³ |
| Odorless Mineral Spirits | TWA | 300 ppm | 1900 mg/m ³ |

ENGINEERING CONTROLS: Good general ventilation should be sufficient to control airborne levels.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Wear safety glasses with side shields or goggles.

SKIN: Use Nitrile/ Vinyl gloves

RESPIRATORY: NIOSH respirator - in absence of proper environmental controls.

PROTECTIVE CLOTHING: Clean, body-covering clothing

9. PHYSICAL AND CHEMICAL PROPERTIES

| Chemical Name | Flash Point (°C) | Boiling Point (°C) | Specific Gravity |
|--|------------------|--------------------|------------------|
| Distillates (petroleum) hydrotreated light | 81 | 218 | 0.79 |
| Odorless Mineral Spirits | 49 | 178 | 0.76 |

PHYSICAL STATE: Liquid

ODOR: Typical

APPEARANCE: White Liquid

pH: Not applicable

PERCENT VOLATILE: 80-90

VAPOR PRESSURE: Not Available

VAPOR DENSITY: Not Available

BOILING POINT: Not Available

FREEZING POINT: ~ (32°F)

FLASHPOINT AND METHOD: ~ 49°C TCC

SOLUBILITY IN WATER: Insoluble

SPECIFIC GRAVITY: ~ 0.980 gm/ml

VISCOSITY: Not Available

(VOC): < 15.000 % by weight

10. STABILITY AND REACTIVITY

STABLE: Yes

HAZARDOUS POLYMERIZATION: No

CONDITIONS TO AVOID: Avoid high temperatures.

11. TOXICOLOGICAL INFORMATION

ACUTE

| Chemical Name | ORAL LD ₅₀ (rat) | DERMAL LD ₅₀ (rabbit) |
|--|--------------------------------|-------------------------------------|
| Distillates (petroleum) hydrotreated light | > 5 g/Kg-rat | > 3.16 g/kg - rabbit |

CHRONIC: not available

CARCINOGENICITY

IARC: Listed by IARC- NO

NTP: Listed by NTP- NO

OSHA: Listed by OSHA- NO

SENSITIZATION: not available

NEUROTOXICITY: not available

TARGET ORGANS: not available

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: not available

ECOTOXICOLOGICAL INFORMATION: not available

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose in accordance with local, state, and federal laws.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

OTHER SHIPPING INFORMATION: Refer to bill of lading or container label for DOT or other transportation hazard classification, if any.

15. REGULATORY INFORMATION

UNITED STATES

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA REGULATORY: All Ingredients are on the TSCA Inventory or are not required to be listed on the TSCA Inventory

CANADA

WHMIS HAZARD SYMBOL AND CLASSIFICATION


Combustible Liquid



Toxic

16. OTHER INFORMATION**PREPARED BY:** Athony Casmus**REVISION SUMMARY:** Revision #: 4. This MSDS replaces the February 26, 2010 MSDS.**HMIS RATING**

| | | |
|-----------------------------|---|---|
| HEALTH: | - | 1 |
| FLAMMABILITY: | | 2 |
| PHYSICAL HAZARD: | | 0 |
| PERSONAL PROTECTION: | | |

NFPA CODES

MANUFACTURER DISCLAIMER: The information in this MSDS was obtained from current and reputable sources. However, the data is provided without any warranty, express or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense resulting from improper use of this product.