

MATERIAL SAFETY DATA SHEET

Safety Data Sheet



Date Issued: 07/18/2008

MSDS No: 10099

1. PRODUCT AND COMPANY IDENTIFICATION

GENERAL USE: Automotive reconditioning product
PRODUCT DESCRIPTION: Automobile Polish
PRODUCT CODE: 99
PRODUCT FORMULATION NAME: XP Magic Cut
GENERIC NAME: Compound

MANUFACTURER

Auto Wax - An ITW Company
 Auto Magic®
 1275 Round Table Drive
 Dallas, TX 75247

Product Stewardship: 1-800-826-0828**Transportation:** 1-800-826-0828**Service Number:** 1-214-631-4000

Auto Wax - An ITW Company

Auto Magic®

24 HR. EMERGENCY TELEPHONE NUMBERS

1-800-826-0828

COMMENTS: To the best of our knowledge, this Material Safety Data Sheet conforms to the requirements of US OSHA 29 CFR 1910.1200.

2. HAZARDS IDENTIFICATION**EMERGENCY OVERVIEW****IMMEDIATE CONCERNS:** Harmful if swallowed.**POTENTIAL HEALTH EFFECTS****EYES:** Moderately irritating to the eyes.**SKIN:** Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash).**INGESTION:** Harmful if swallowed.**INHALATION:** Prolonged or excessive inhalation may cause respiratory tract irritation.**SIGNS AND SYMPTOMS OF OVEREXPOSURE****EYES:** Eye contact may cause redness, tearing and a burning sensation.**ACUTE TOXICITY:** May cause headaches and dizziness.**CHRONIC EFFECTS:** not available**MEDICAL CONDITIONS AGGRAVATED:** dermatitis may be aggravated by excessive exposure to skin.**ROUTES OF ENTRY:** include skin contact, eye contact and ingestion**TARGET ORGAN STATEMENT:** not established**CANCER STATEMENT:** not established**3. COMPOSITION / INFORMATION ON INGREDIENTS**

| Chemical Name | Wt. % | CAS |
|--|--------|------------|
| Distillates (petroleum) hydrotreated light | 1 - 15 | 64742-47-8 |

4. FIRST AID MEASURES**EYES:** Flush eye with water for 15 minutes. Seek medical attention if irritation persists.**SKIN:** Wash with soap and water.**INGESTION:** Do not induce vomiting. Seek medical attention immediately.**INHALATION:** Move to fresh air

5. FIRE FIGHTING MEASURES**FLASHPOINT AND METHOD:** ~ 80°C TCC**FLAMMABLE LIMITS:** not available**AUTOIGNITION TEMPERATURE:****Notes:** not established**EXTINGUISHING MEDIA:** use foam, dry chemical or carbon dioxide extinguisher**HAZARDOUS COMBUSTION PRODUCTS:** Carbon Monoxide and Carbon Dioxide**EXPLOSION HAZARDS:** not established**FIRE FIGHTING PROCEDURES:** not established**SENSITIVE TO STATIC DISCHARGE:** none expected**SENSITIVITY TO IMPACT:** none expected**6. ACCIDENTAL RELEASE MEASURES****SMALL SPILL:** Contain and collect with absorbent**LARGE SPILL:** LARGE SPILLS: Shut off leak if safe to do so. Contain material to avoid run off and collect spill with absorbent. Proper disposal of absorbent is required after use.**ENVIRONMENTAL PRECAUTIONS****WATER SPILL:** Avoid runoff into storm sewers and ditches which lead to waterways.**7. HANDLING AND STORAGE****GENERAL PROCEDURES:** Keep out of reach of Children.**STORAGE TEMPERATURE:** 4°C (40°F) Minimum to 35°C (95°F) Maximum**SHELF LIFE:** one year**8. EXPOSURE CONTROLS / PERSONAL PROTECTION****EXPOSURE GUIDELINES**

| OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200) | | | |
|---|-----|---------|------------------------|
| | | | EXPOSURE LIMITS |
| | | | Supplier OEL |
| Chemical Name | | | ppm |
| | | | mg/m ³ |
| Distillates (petroleum) hydrotreated light | TWA | 300 ppm | 2300 mg/m ³ |

ENGINEERING CONTROLS: Good general ventilation should be sufficient to control airborne levels.**PERSONAL PROTECTIVE EQUIPMENT****EYES AND FACE:** Wear safety glasses with side shields or goggles.**SKIN:** Use Nitrile/ Vinyl gloves**RESPIRATORY:** NIOSH respirator -(organic vapor) in absence of proper environmental control.**PROTECTIVE CLOTHING:** Clean, body-covering clothing**9. PHYSICAL AND CHEMICAL PROPERTIES**

| Chemical Name | Flash Point (°C) | Boiling Point (°C) | Specific Gravity |
|--|------------------|--------------------|------------------|
| Distillates (petroleum) hydrotreated light | 81 | 218 | 0.79 |

PHYSICAL STATE: Liquid**ODOR:** Cherry odor**APPEARANCE:** Purple Liquid**pH:** 8.5 to 9.5**PERCENT VOLATILE:** Not Available**VAPOR PRESSURE:** Not Available

FREEZING POINT: ~ (32°F)

FLASHPOINT AND METHOD: ~ 80°C TCC

SOLUBILITY IN WATER: Will mix with water

SPECIFIC GRAVITY: ~ 1.400 at 25°C

VISCOSITY #1: > 100 KU at 25°C

(VOC): ~ 13.000 % by weight

10. STABILITY AND REACTIVITY

STABLE: Yes

HAZARDOUS POLYMERIZATION: No

11. TOXICOLOGICAL INFORMATION

ACUTE

| Chemical Name | ORAL LD ₅₀ (rat) | DERMAL LD ₅₀ (rabbit) |
|--|--------------------------------|-------------------------------------|
| Distillates (petroleum) hydrotreated light | > 5 g/Kg-rat | > 3.16 g/kg - rabbit |

CARCINOGENICITY

IARC: Listed by IARC- NO

NTP: Listed by NTP- NO

OSHA: Listed by OSHA- NO

SENSITIZATION: not available

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: not available

ECOTOXICOLOGICAL INFORMATION: not available

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose in accordance with local, state, and federal laws.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

OTHER SHIPPING INFORMATION: Refer to bill of lading or container label for DOT or other transportation hazard classification, if any.

15. REGULATORY INFORMATION

UNITED STATES

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA REGULATORY: All Ingredients are on the TSCA Inventory or are not required to be listed on the TSCA Inventory

CANADA

WHMIS HAZARD SYMBOL AND CLASSIFICATION



Toxic




Combustible Liquid

16. OTHER INFORMATION

PREPARED BY: Tony Casmus

REVISION SUMMARY: New MSDS**HMIS RATING**

| | | |
|-----------------------------|---|---|
| HEALTH: | - | 1 |
| FLAMMABILITY: | | 2 |
| PHYSICAL HAZARD: | | 0 |
| PERSONAL PROTECTION: | | |

NFPA CODES

MANUFACTURER DISCLAIMER: The information in this MSDS was obtained from current and reputable sources. However, the data is provided without any warranty, express or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense resulting from improper use of this product.